


Safety Data Sheet

1. Goods and Manufacturers information

Item Name	Calcium chloride		
Other Name	-		
Almost Use	Sewage treatment coagulant.		
Manufacturer, importer or supplier's name, address	Hou Jan Industrial Co., Ltd.	Add	5 Ching Chien 3 rd Rd. Kuan-Yin Industrial Park Taoyuan Taiwan(R.O.C.)
Emergency Phone	TEL : +886-3-4837583		FAX : +886-3-4839026

2. Hazard Identification Information

Hazard Classification :-	
Labeling :	
Signal Word: -	
Hazard :	
1.Causes serious eye damage.	
2. Harmful if swallowed or if inhaled.	
Hazard Prevention Measures:	
1. If contact with eyes, wash immediately with plenty of water after contact medical.	
2. Do not eat, drink or smoke when using this product.	
3. Wash face, hands and any exposed skin thoroughly after handling.	
4. Wear suitable protective clothing, gloves, wear goggles, face shields protect.	

3. Component Identification Information

Component	Range % W/W	CAS No.
CaCl ₂	>35%	10043-52-4

4. First Aid Measures

Skin Contact :

1. Immediately wash with plenty of water for 15 minutes.
2. Removal of contaminated clothing and shoes
3. As soon as possible for medical treatment.

Eye Contact :

1. Immediately wash with plenty of water for more than 15 minutes
2. As soon as possible for medical treatment.

Ingestion :

1. Do not induce vomiting.
2. Rinse mouth. Give one or two glasses of water to drink.
3. As soon as possible for medical treatment.

5. Fire Extinguishing Measures

For fire extinguishers: Use dry chemical, carbon dioxide or alcohol-resistant foam.

Fire Hazards : No data available

Special Protective Equipment For Fire Fighters :

Wear positive pressure self-contained breathing masks and protective clothing firefighters buildings can provide effective protection.

6. Accidental Release Measures

Personal Precautions:

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation

Environmental Precautions:

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

Methods for Containment and Clean Up:

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition.

7. Handling and Storage

Handling:

Handling in a well-ventilated place. Wear suitable personal protective equipment/face protection. Avoid contact with eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

Storage:

Store the container tightly closed in a dry, cool and well-ventilated place.

8. Exposure Controls

Occupational Exposure Standards:

Occupational Exposure Standards: Copper (Dusts & mist)

PEL (OSHA) / TLV (ACGIH)

1 mg/m³ (8hr TWA)

The following national occupational exposure limit values for copper and copper compounds apply*:

Country	LTEL (8 hr TWA mg/m ³)**	STEL (mg/m ³) (ca.15 min)	Note:
Taiwan	-		-

* TWA is the Time-Weighted Average airborne concentration over an eight-hour working day, for a five-day working week over an entire working life.

Biological limit value: No information available

Appropriate Engineering Controls:

Provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures. If dusts are produced local exhaust ventilation should be used.

Personal Protection:

Respiratory Protection:

Use a respirator with type N95 (USA) or PE (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if purifying respirators are appropriate. Only use equipment tested and approved under appropriate government

Protective Gloves:

Butyl rubber gloves, BR

Eye Protection:

Safety glasses or goggles

Body Protection:

Protective work clothing. Wear close-toed shoes and long sleeves/pants.

9. Physical and Chemical Properties

Color: Clear

Physical State: liquid

Thick Liquid pH : 6~8

Shape: no data

Vapor Pressure: no data

Autoignition Temperature: No data

Flash Point: no data

Odor: -

Melting Point:-

Boiling Point :>1600°C

Vapor Density (air = 1): no data

Density(Water = 1) : 1.37 (25°C)

Explosion Limits: no data

Test Method: not available

10. Stability and Reactivity

Stability: Stable under normal conditions.

Special situations Hazardous Reactions: No data.

Should avoid: No data.

Avoid substances: No data.

Hazardous decomposition products: No data.

11.Toxicological information

Potential Health Effects:

Eyes-May cause irritation.

Skin-May cause irritation.

Ingestion-May cause irritation.

Inhalation-May cause irritation.

Median Lethal Dose:

-

12.Ecological Information

Toxicity: no data available.

Persistence and Degradability: no data available.

Bioaccumulative Potential: no data available.

Mobility in Soil: no data available.

Other adverse Effects: no data available.

13.Waste Disposal Method

Waste Disposal Methods :

Disposal of waste to be in accordance with the Environmental Quality Act and other guidelines issued by DOE and/or local authorities.

14. Transport Information

Item Name: -

Hazard Class : -

UN Number : -

Packing Group: -

Proper Shipping Name: -

15. Legal Information

Applicable Laws and Regulations :

1. Council of Labor Affairs, hazardous materials and hazardous materials of general rules.
2. Ministry of Communications National Police Agency, Traffic Law - road safety rules.
3. Environmental Protection Administration, industrial waste storage, disposal method and facility standards.

16. Other Information

References :

1. Industrial Technology Research Institute of Industrial Safety and Health Technology Development Center, Material Safety Data Sheet.
2. Council of Labor Affairs, Emergency Response Guide.

Tabulation unit	Company :Hou Jan Industrial Co., Ltd		
	Address : 5 Ching Chien 3rd Rd. Kuan-Yin Industrial Park Taoyuan Taiwan(R.O.C.)		
	TE L : +886-3-4837583 Fax : +886-3-4839026		
Validated	Sales : Yu-Pei SHIH	Date of Tabling	2024/08/24